

## KIDNEY GRAFT REJECTION AFTER SILICONE BREAST IMPLANT SURGERY

*Damir Peličić<sup>1,2</sup>, Batrić Vukčević<sup>2</sup>, Marina Ratković<sup>2,3</sup>, Danilo Radunović<sup>3</sup>,  
Nemanja Radojević<sup>2,4</sup>*

<sup>1</sup>Center for Science, Clinical Center of Montenegro, Podgorica, Montenegro

<sup>2</sup>Faculty of Medicine, University of Montenegro, Podgorica, Montenegro

<sup>3</sup>Department of Nephrology and Hemodialysis, Clinical Center of Montenegro, Podgorica, Montenegro

<sup>4</sup>Department of Forensic Medicine, Clinical Center of Montenegro, Podgorica, Montenegro

*Kontakt:* Damir Peličić  
Ljubljanska bb, 20000 Podgorica, Montenegro  
E-mail: damir.pelivic@kccg.me

In the patient presented in this study, bilateral breast implant surgery was performed by a submuscularly placed silicone gel implant. Unfortunately, a surgical team from another healthcare facility did not consult a nephrologist before the surgery, which was a necessary step in order to adjust the dosage of immunosuppressive therapy. During the early postoperative period, the patient developed febrility and acute mastitis, as well as acute renal transplant rejection. The patient was hospitalized at the Clinic of Nephrology, Clinical Center of Montenegro. After two weeks of treatment and care, her kidney transplant function recovered.

*Acta Medica Medianae 2020;59(3):105-107.*

**Key words:** *transplantation, acute renal rejection, silicone implant*